



Certificate of Analysis # 2025-3399/EXT/HPLC

Informations provided by the client

Sample Name: BML265 L:B30297202300001 - Enectaliana
Matrix: Plant Material
Product: Flowers
Laboratory Information
Acceptance Date: 09/12/2025
Test Start Date: 09/12/2025
Sampling: Sample delivered by the customer
Sample ID: H0912253342/EXT

Prepared for
Crystal distribution s.r.o. Korunní 2569/108 10100
Praha 10

VAT CZ21910286


*Nocturn lights
Small*

Compound	Result	UM	LOQ	Result (mg/g)	Measurement uncertainty
CBDV	< LOQ	%(m/m)	0,02	< LOQ	
CBDA	12,88	%(m/m)	0,033	128,8	
CBGA	0,33	%(m/m)	0,035	3,3	
CBG	0,05	%(m/m)	0,018	0,5	
CBD	0,57 <	%(m/m)	0,015	5,7	
THCV	LOQ <	%(m/m)	0,02	< LOQ	
CBN	LOQ	%(m/m)	0,02	< LOQ	
d9-THC	0,08	%(m/m)	0,028	0,8	
CBC	0,07	%(m/m)	0,017	0,7	
THCA	0,14	%(m/m)	0,02	4,3	
TOTAL CBD	11,87	%(m/m)	0,02	118,7	
TOTAL CBG	0,34	%(m/m)	0,02	3,4	
TOTAL THC	0,20	%(m/m)	0,02	4,6	
TOTAL MOISTURE	10,57	%	0,05	105,7	

%(m/m) = (Mass of the analyte/Mass of the product as it is)
NR Not Detected
LOD Limit of detection
LOQ Limit of quantification
<LOQ Below the limit of quantification

IST01 REV03 2022 (HPLC)
IST16 REV02 2022 (Thermogravimetry)

Total Cannabinoids are calculated using the following formulas to calculate the loss of the carboxyl group during decarboxylation
TOTAL THC = THC + (THCA * 0.877)
TOTAL CBD = CBD + (CBDA * 0.877)
TOTAL CBG = CBG + (CBGA * 0.877)



End of Test Report # Certificate of Analysis # 2025-3399/EXT/HPLC

Test end date: 10/12/2025
Issuing date: 10/12/2025

Firmato da:
De Rossi Davide
Responsabile del Laboratorio

The results reported in the Test Report refer only to the sample actually tested, as received. The Laboratory declines all responsibility for the methods of carrying out sampling, transport and storage of the samples until delivery, if carried out by the customer. The Laboratory assumes responsibility for the information and data contained in the test report, with the exclusion of what is declared by the customer. This CoA can only be reproduced in complete form: if not complete, it is allowed only after written authorization from the Laboratory Manager. Copies of this Test Report and related documents are kept for 4 years. The Laboratory declines responsibility for any information provided by the customer that may affect the validity of the results. Test Report digitally signed and compliant pursuant to art. 23 Legislative Decree 7 March 2005 No. 82 CAD and subsequent amendments and additions.

